
Pump Size: 2-1/2 x 3 x 6 M Model: B2-1/2T\_M

**Curve No. 8477** 

Type	CCMD	FM CPLG	FM BELT	SAE	Hydraulic	AC Engine
Model	B2-1/2TPM					B2-1/2TQMS-13.5
						(5.50" Diameter Impeller)

Nominal RPM: **3450**Based on Fresh Water @ 68°F (20°C)
Maximum Working Pressure:150 PSI (10 BAR)



Pump Size: 2-1/2 x 3 x 6 M Model: B2-1/2T\_M

**Curve No. 8477** 

Type	CCMD	FM CPLG	FM BELT	SAE	Hydraulic	AC Engine
Model	B2-1/2TPM	B2-1/2TRMS	B2-1/2TRMS			

Nominal RPM: 1750 68°F (20°C) Based on Fresh Water @ Maximum Working Pressure:150 PSI (10 BAR) 14 45 - 6.50 in (2 hp) 6.19 in (1.5 hp) 12 10 5.44 in (1 hp) 2.0 hp Head - m Head - ft 25 1.5 hp (1.1 kW) 1.0 hp (.75 kW) 6.50 in 3 th-rhsal NPSHr - m 40 60 80 100 180 200 220 240 120 140 160 260 Capacity - USgpm 45

Capacity - m3/h

Pump Size: 2-1/2 x 3 x 6 M Model: B2-1/2T\_M

**Curve No. 8477** 

Type	CCMD	FM CPLG	FM BELT	SAE	Hydraulic	AC Engine
Model	B2-1/2TPM	B2-1/2TRMS	B2-1/2TRMS			
RPM	1201-3600	1400-2800	1400-2800			

